



CSI 34: Special Methods & Linked Lists



Announcements & Logistics

- **Lab 9 Boggle**
 - **Parts 1 & 2 (BoggleLetter & BoggleBoard)** due today/tomorrow
 - We will run our tests and return automated feedback, but we won't assign grades
 - Test your classes/methods individually before moving on to **BoggleGame**
 - Make sure you call **shakeCubes** in the `__init__` method of **BoggleBoard**
 - **Part 3 (BoggleGame)** due Nov 30/Dec 1 (double lab grade)
 - Lab attendance optional next week!

Do You Have Any Questions?

Last Time

- Finished implementation of Tic Tac Toe game
 - (Fun?) Application of object-oriented design and inheritance
- Designed to help with the Boggle lab
- Advice as you make your way through the rest of Boggle:
 - Isolate functionality and test often (use `__str__` to print values as needed)
 - Check individual methods
 - **Discuss logic with partner/instructor/TA before writing any code**
 - Worry about common cases first, but don't forget the "edge" cases

Today's Plan

- Build a **recursive list class**
 - Our own implementation of `list`!
 - Preview of CSCI 136 (design of data structures)
- Learn how to implement some **special (aka magic) methods** which override the behavior of existing operators/functions in Python
 - We have already seen some examples with `__str__`
 - Automatically called when we use the `str()` or `print()` function
- Today we will see:
 - `__len__` (called when you use `len` function)
 - `__contains__` (called when we use `in` operator)
 - `__getitem__` (called when we index into a sequence using `[]`)
 - Many more!



Python's Built-in list Class


- A class with methods (that someone else implemented)
- **pydoc3 list**
- Let's implement our own list class with similar functionality

Help on class list in module builtins:

```
class list(object)
| list(iterable=(), /)
| Built-in mutable sequence.
|
| If no argument is given, the constructor creates a new empty list.
| The argument must be an iterable if specified.
|
| Methods defined here:
|
| __add__(self, value, /)
|     Return self+value.
|
| __contains__(self, key, /)
|     Return key in self.
|
| __delitem__(self, key, /)
|     Delete self[key].
|
| __eq__(self, value, /)
|     Return self==value.
|
| __ge__(self, value, /)
|     Return self>=value.
|
| __getattr__(self, name, /)
|     Return getattr(self, name).
|
| __getitem__(...)
|     x.__getitem__(y) <==> x[y]
|
| __gt__(self, value, /)
```


What exactly is a list?

- A container for a sequence of values
 - Recall that **sequence** implies an order
- Another way to think about this:
 - A nested *chain* of values, or a **linked list**
 - Each value has something after it: the rest of the sequence (recursion!)
- How do we know when we reach the end of our list?
 - Rest of the list is **None**



Our Own Class `LinkedList`

- Attributes:
 - `_value`, `_rest`
- **Recursive class:**
 - `_rest` points to another instance of the *same class*
 - Any instance of a class that is created by using another instance of the class is a *recursive class*



Initializing Our LinkedList


```
class LinkedList:
    """Implements our own recursive list data structure"""
    __slots__ = ['_value', '_rest']

    def __init__(self, value=None, rest=None):
        self._value = value
        self._rest = rest

    # getters/setters
    def getRest(self):
        return self._rest

    def getValue(self):
        return self._value
```

rest is another instance
of our LinkedList class



Special Methods (Review)

- **`__init__(self, val)`**

- When is it called?
 - Automatically when we **create** an instance (object) of the class
 - Can also be invoked as `obj.__init__(val)` (where `obj` is an instance of the class)

- **`__str__(self)`**

- When is it called?
 - When we **print** an instance of the class using `print(obj)`
 - Also called whenever we call `str` function on it: `str(obj)`
 - Can also be invoked as `obj.__str__()`

Recursive Implementation: `__str__`

```
# str() function calls __str__() method
```


```
def __str__(self):  
    if self._rest is None:  
        return str(self._value)  
    else:  
        return str(self._value) + ", " + str(self._rest)
```

This is recursion since `str` calls `__str__`. The base case is when `self._rest` is `None`

```
myList = LinkedList(5, LinkedList(3, LinkedList(11)))
```

```
print(myList) # testing __str__
```

```
5, 3, 11
```



Recursive Implementation: `__str__`

- What if we want to enclose the elements in square brackets `[]`?
- We can use a helper method that does the same thing as `__str__()` on the previous slide, and then call that helper between concatenating the square brackets

```
def __strElements(self):  
    if self._rest is None:  
        return str(self._value)  
    else:  
        return str(self._value) + ", " + self._rest.__strElements()  
  
def __str__(self):  
    return "[" + self.__strElements() + "]"
```

```
myList = LinkedList(5, LinkedList(3, LinkedList(11)))
```

```
print(myList) # testing __str__
```

```
[5, 3, 11]
```

Looks more like Python list format

An Aside: `__repr__`

- In Labs 8 and 9, we included `__repr__` methods in your starter code
- You do not need to worry about them! (Just ignore these methods in Lab 9!)
- For your reference, here is a quick summary:
 - Like `__str__()`, `__repr__()` returns a string, useful for debugging
 - Unlike `__str__()`, the format of the string is very specific
 - `__repr__()` returns a string representation of an instance of a class that can be used to recreate the object

```
# repr() function calls __repr__() method  
# return value should be a string that is a valid Python  
# expression that can be used to recreate the LinkedList  
def __repr__(self):  
    return "LinkedList({}, {})".format(self._value, repr(self._rest))
```

```
myList = LinkedList(5, LinkedList(3, LinkedList(11)))
```

```
myList # testing __repr__
```


```
LinkedList(5, LinkedList(3, LinkedList(11, None)))
```

Notice we did not say
`print(myList)` here

Special Method: `__len__`


- `__len__(self)`

- Called when we use the built-in function `len()` in Python on an object `obj` of the class: `len(obj)`
- We can call `len()` function on any object whose class has the `__len__()` special method implemented
- We want to implement this special method so it tells us the number of elements in our linked list, e.g. 3 elements in the list below



Implementing Recursively


- As our **LinkedList** class is defined recursively, let's implement the **__len__** method recursively
 - Method will return an int (num of elements)
- What is the base case(s)?
- What about the recursive case?
 - Count self (so, +1), and then call **len()** on the rest of the list!




Recursive Implementation: `__len__`

```
# len() function calls __len__() method
def __len__(self):
    # base case: i'm the empty list
    if self._rest is None and self._value is None:
        return 0
    # base case: i'm the last item
    elif self._rest is None and self._value is not None:
        return 1
    #recursive case
    else:
        # same as return 1 + self._rest.__len__()
        return 1 + len(self._rest)
```

Note: It is preferred to use `is` or `is not` operators (as opposed to `==` or `!=`) when comparing a user-defined object to a `None` value.



Other Special Methods



What About Other Special Methods?

- What other functionality does the built-in list have in Python that we can incorporate into our own class?
 - Can check if an item is in the list (**in** operator): `__contains__`
 - Concatenate two lists using `+` : `__add__`
 - Index a list with `[]` : `__getitem__`
 - **Set** an item to another val, e.g. `myList[2] = "hello"` : `__setitem__`
 - Compare the values of two lists for equality using `==` : `__eq__`
 - **Reverse/sort** a list
 - **Append** an item to the list: `append` method
 - Many others!
- Let's try to add some of these features to our **LinkedList**

in Operator: `__contains__`

- `__contains__(self, val)`
 - When we say `if elem in seq` in Python:
 - Python calls the `__contains__` special method on `seq`
 - That is, `seq.__contains__(elem)`
- Thus if we want the `in` operator to work for the objects of our class, we can do so by implementing the `__contains__` special method
- Basic idea:
 - “Walk” along list checking values
 - If we find the value we’re looking for, return True
 - If we make it to the end of the list without finding it, return False
 - We’ll do this recursively!

in Operator: `__contains__`

- `__contains__(self, val)`
 - When we say `if elem in seq` in Python:
 - Python calls the `__contains__` special method on `seq`
 - That is, `seq.__contains__(elem)`
- Thus if we want the `in` operator to work for the objects of our class, we can do so by implementing the `__contains__` special method

```
# in operator calls __contains__() method  
def __contains__(self, val):  
    if self._value == val:  
        return True  
    elif self._rest is None:  
        return False  
    else:  
        # same as calling self.__contains__(val)  
        return val in self._rest
```

+ Operator: `__add__`

- `__add__(self, other)`

- When using lists, we can concatenate two lists together into one list using the `+` operator (this always returns a new list)
- To support the `+` operator in our **LinkedList** class, we need to implement `__add__` special method
- Make the end of our first list point to the beginning of the other
- Basic idea:
 - Walk along first list until we reach the end
 - Set `_rest` to be the beginning of second list
 - More recursion!

+ Operator: `__add__`

- `__add__(self, other)`

- When using lists, we can concatenate two lists together into one list using the `+` operator (this always returns a new list)
- To support the `+` operator in our `LinkedList` class, we need to implement `__add__` special method
- Make the end of our first list point to the beginning of the other

```
# + operator calls __add__() method
# + operator returns a new instance of LinkedList
def __add__(self, other):
    # other is another instance of LinkedList
    # if we are the last item in the list
    if self._rest is None:
        # set _rest to other
        self._rest = other
    else:
        # else, recurse until we reach the last item
        self._rest.__add__(other)
    return self
```

Note: Technically this does not return a **new** list. This is more like **extend**. Let's not worry about this for now!

`self` is the "head" or beginning of the list. Note that it didn't change!

[] Operator: `__getitem__`, `__setitem__`

- `__getitem__(self, index)` and `__setitem__(self, index, val)`
 - When using lists, we can get or set the item at a specific index by using the [] operator (e.g., `val = mylist[1]` or `mylist[2] = newVal`)
 - To support the [] operator in our **LinkedList** class, we need to implement `__getitem__` and `__setitem__`
 - Basic idea:
 - Walk out to the element at **index**
 - Get or set value at that index accordingly
 - Recursive!

[] Operator: `__getitem__`, `__setitem__`

- `__getitem__(self, index)` and `__setitem__(self, index, val)`
- When using lists, we can get or set the item at a specific index by using the `[]` operator (e.g., `val = mylist[1]` or `mylist[2] = newVal`)

```
# [ ] list index notation calls __getitem__() method  
# index specifies which item we want  
def __getitem__(self, index):  
    # if index is 0, we found the item we need to return  
    if index == 0:  
        return self._value  
    else:  
        # else we recurse until index reaches 0  
        # remember that this implicitly calls __getitem__  
        return self._rest[index - 1]
```

[] Operator: `__getitem__`, `__setitem__`

- `__getitem__(self, index)` and `__setitem__(self, index, val)`
- When using lists, we can get or set the item at a specific index by using the [] operator (e.g., `val = mylist[1]` or `mylist[2] = newVal`)

```
# [ ] list index notation also calls __setitem__() method  
# index specifies which item we want, val is new value  
def __setitem__(self, index, val):  
    # if index is 0, we found the item we need to update  
    if index == 0:  
        self._value = val  
    else:  
        # else we recurse until index reaches 0  
        # remember that this implicitly calls __setitem__  
        self._rest[index - 1] = val
```


== Operator: `__eq__`

- `__eq__(self, other)`

- When using lists, we can compare their values using the `==` operator
- To support the `==` operator in our **LinkedList** class, we need to implement `__eq__`
- We want to walk the lists and check the values
- Make sure the sizes of lists match, too

== Operator: `__eq__`

- `__eq__(self, other)`

- When using lists, we can compare their values using the `==` operator
- To support the `==` operator in our **LinkedList** class, we need to implement `__eq__`

```
# == operator calls __eq__() method
# if we want to test two LinkedLists for equality, we test
# if all items are the same
# other is another LinkedList
def __eq__(self, other):
    # If both lists are empty
    if self._rest is None and other.getRest() is None:
        return True

    # If both lists are not empty, then value of current list elements
    # must match, and same should be recursively true for
    # rest of the list
    elif self._rest is not None and other.getRest() is not None :
        return self._value == other.getValue() and self._rest == other.getRest()

    # If we reach here, then one of the lists is empty and other is not
    return False
```

Many Other Special Methods

- Examples:

- `__eq__ (self, other): x == y`
- `__ne__ (self, other): x != y`
- `__lt__ (self, other): x < y`
- `__gt__ (self, other): x > y`
- `__add__(self, other) : x + y`
- `__sub__(self, other): x - y`
- `__mul__(self, other): x * y`
- `__truediv__(self, other): x / y`
- `__pow__(self, other): x ** y`
- ...

Useful List Method: **append**

- **append(self, val)**

- When using lists, we can add an element to the end of an existing list by calling `append` (mutates our list)
- Thus **append** is similar to `__add__`, except we are only adding a single element rather than an entire list (so it's a bit easier to accomplish)
- Basic idea:
 - Walk to end of list
 - Create a new **LinkedList(val)** and add it to end

Useful List Method: **append**

- **append(self, val)**

- When using lists, we can add an element to the end of an existing list by calling `append` (mutates our list)
- Thus **append** is similar to `__add__`, except we are only adding a single element rather than an entire list (so it's a bit easier to accomplish)

```
# append is not a special method, but it is a method  
# that we know and love from the Python list class.  
# unlike __add__, we do not return a new LinkedList instance  
def append(self, val):  
    # if this is the last item  
    if self._rest is None:  
        # add a new LinkedList to the end  
        self._rest = LinkedList(val)  
    else:  
        # else recurse until we find the end  
        self._rest.append(val)
```

Making our List an Iterable

- We can iterate over a Python list in a **for loop** (aka a for each loop)
- It would be nice if we could iterate over our LinkedList in a for loop
- This won't quite work right now

```
for item in myList:  
    print(item)
```

```
5  
3  
11
```

TypeError Traceback (most recent call last)

```
<ipython-input-108-4bf86db75685> in <module>
```

```
----> 1 for item in myList:  
      2     print(item)
```

```
<ipython-input-104-8a5ab5d1919c> in __getitem__(self, index)
```

```
    68         # else we recurse until index reaches 0  
    69         # remember that this implicitly calls __getitem__  
----> 70         return self._rest[index - 1]  
    71  
    72         # [] list index notation also calls __setitem__() method
```

```
TypeError: 'NoneType' object is not subscriptable
```

Making our List an Iterable

- We can iterate over a Python list in a **for loop** (aka a for each loop)
- It would be nice if we could iterate over our LinkedList in a for loop
- This won't quite work right now
- What do we need?
 - Next time we will discuss the special method **`__iter__`**
 - We will look behind the scenes at a for loop and see how it works!

The end!

