

Python 2.7 Regular Expressions

Non-special chars match themselves. Exceptions are special characters:

```
\ Escape special char or start a sequence.  
. Match any char except newline, see re.DOTALL  
^ Match start of the string, see re.MULTILINE  
$ Match end of the string, see re.MULTILINE  
[] Enclose a set of matchable chars  
R|S Match either regex R or regex S.  

```

After '[', enclose a set, the only special chars are:

```
] End the set, if not the 1st char  
- A range, eg. a-c matches a, b or c  
^ Negate the set only if it is the 1st char
```

Quantifiers (append '?' for non-greedy):

```
{m} Exactly m repetitions  
{m,n} From m (default 0) to n (default infinity)  
* 0 or more. Same as {}  
+ 1 or more. Same as {1,}  
? 0 or 1. Same as {,1}
```

Special sequences:

```
\A Start of string  
\b Match empty string at word (\w+) boundary  
\B Match empty string not at word boundary  
\d Digit  
\D Non-digit  
\s Whitespace [\t\n\r\f\v], see LOCALE,UNICODE  
\S Non-whitespace  
\w Alphanumeric: [0-9a-zA-Z_], see LOCALE  
\W Non-alphanumeric  
\Z End of string  
\g<id> Match prev named or numbered group,  
'<' & '>' are literal, e.g. \g<0>  
or \g<name> (not \g0 or \gname)
```

Special character escapes are much like those already escaped in Python string literals. Hence regex '\n' is same as regex '\\n':

```
\a ASCII Bell (BEL)  
\f ASCII Formfeed  
\n ASCII Linefeed  
\r ASCII Carriage return  
\t ASCII Tab  
\v ASCII Vertical tab  
\\\ A single backslash  
\xHH Two digit hexadecimal character goes here  
\ooo Three digit octal char (or just use an  
initial zero, e.g. \0, \09)  
\DD Decimal number 1 to 99, match  
previous numbered group
```

Extensions. Do not cause grouping, except 'P<name>':

```
(?iLmsux) Match empty string, sets re.X flags  
(?:...) Non-capturing version of regular parens  
(?P<name>...) Create a named capturing group  
(?#=...) Match whatever matched prev named group  
(?=...) A comment; ignored.  
(?=...) Lookahead assertion, match without consuming  
(?!...) Negative lookahead assertion  
(?=<...) Lookbehind assertion, match if preceded  
(?<!...) Negative lookbehind assertion  
(?(id)y|n) Match 'y' if group 'id' matched, else 'n'
```

Flags for re.compile(), etc. Combine with '|':

```
re.I == re.IGNORECASE Ignore case  
re.L == re.LOCAL Make \w, \b, and \s locale dependent  
re.M == re.MULTILINE Multiline  
re.S == re.DOTALL Dot matches all (including newline)  
re.U == re.UNICODE Make \w, \b, \d, and \s unicode dependent  
re.X == re.VERBOSE Verbose (unescape whitespace in pattern  
is ignored, and '#' marks comment lines)
```

Module level functions:

```
compile(pattern[, flags]) -> RegexObject  
match(pattern, string[, flags]) -> MatchObject  
search(pattern, string[, flags]) -> MatchObject  
findall(pattern, string[, flags]) -> list of strings  
finditer(pattern, string[, flags]) -> iter of MatchObjects  
split(pattern, string[, maxsplit, flags]) -> list of strings  
sub(pattern, repl, string[, count, flags]) -> string  
subn(pattern, repl, string[, count, flags]) -> (string, int)  
escape(string) -> string  
purge() # the re cache
```

RegexObjects (returned from compile()):

```
.match(string[, pos, endpos]) -> MatchObject  
.search(string[, pos, endpos]) -> MatchObject  
.findall(string[, pos, endpos]) -> list of strings  
.finditer(string[, pos, endpos]) -> iter of MatchObjects  
.split(string[, maxsplit]) -> list of strings  
.sub(repl, string[, count]) -> string  
.subn(repl, string[, count]) -> (string, int)  
.flags # int, Passed to compile()  
.groups # int, Number of capturing groups  
.groupindex # {}, Maps group names to ints  
.pattern # string, Passed to compile()
```

MatchObjects (returned from match() and search()):

```
.expand(template) -> string, Backslash & group expansion  
.group([group1...]) -> string or tuple of strings, 1 per arg  
.groups([default]) -> tuple of all groups, non-matching=default  
.groupdict([default]) -> {}, Named groups, non-matching=default  
.start([group]) -> int, Start/end of substring match by group  
.end([group]) -> int, Group defaults to 0, the whole match  
.span([group]) -> tuple (match.start(group), match.end(group))  
.pos int, Passed to search() or match()  
.endpos int, "  
.lastindex int, Index of last matched capturing group  
.lastgroup string, Name of last matched capturing group  
.re regex, As passed to search() or match()  
.string string, "
```

Gleaned from the python 2.7 're' docs.
<http://docs.python.org/library/re.html>

<https://github.com/tartley/python-regex-cheatsheet>
Version: v0.3.3