



# CS 134 Lecture 3: Functions

# Check-in After First Lab!

- You have all survived your first computer science lab
  - **Congratulations!**
- Computer science tools that you used:
  - **VS Code** as a text editor for code
  - **Terminal** as a text-based interface to the computer
  - **Git** for retrieving & submitting your work
  - **Python**, of course!

**Do You Have Any Questions?**



# Overview of Git/Unix:

<https://www.cs.williams.edu/~cs134/docs/git.pdf>

# Aside: Submitting Labs via Git

- Git is a version control system that lets you manage and keep track of your source code history
- Key commands
  - **git clone** - every time you start a new lab OR move to a new machines, use git clone to download the latest copy of your code from our server
  - **git add <files>** - mark <files> to be uploaded to server on next push
  - **git commit -m “message”** - create a checkpoint, used after git add
  - **git commit -am “message”** - combines add and commit into one step; *only use for files that have been previously added!*
  - **git push** - send files that were added/committed to server
  - **git pull** - get latest code from server (after you have cloned)



# Aside: Useful Unix Commands

- `pwd` - print working directory
- `mkdir <dir name>` - make new directory (or folder)
- `cd <dir name>` - change directory
- Special directory names
  - (single dot, current directory)
  - ▪ (two dots, parent directory)
  - ~ (tilde, home directory)
- `cd ..` takes you to the parent directory
- `cd` takes you “home”
- `ls` shows contents of current directory

# Announcements & Logistics

Can work in **TCL 216/217A** anytime  
there is no scheduled class

- **Lab 1**

- Due today at 10 pm (for Mon labs), tomorrow at 10 pm (for Tues labs)
- How to submit: make sure your work is up-to-date on [evolene.cs.williams.edu](http://evolene.cs.williams.edu)

- **HW 2** will be released today, due next Monday at 10 pm

- Open book/notes/computer, no time limit
- Personal machine setup (Mac/Windows): Step-by-step guide available
- Lots of helps hours if you have questions!
  - Today noon-4 pm, 4-6 pm and 7-10 pm (in **TCL 216**)
  - Tomorrow 1-4 pm, 4-6 pm and 7-10 pm (in **TCL 216**)

**Do You Have Any Questions?**

# Last Time

- Discussed **data types** and **variables** in Python
  - int, float, boolean, string
- Learned about basic **operators**
  - arithmetic, assignment
- Experimented with built-in Python functions
  - **input()**, **print()**, **int()**
- Discussed different ways to run and interact with Python
  - Create a file using an editor (VS Code), run as a script from Terminal
  - Interactively execute Python from Terminal

# Today's Plan

- Discuss functions in greater detail
- Review the built-in functions we (briefly) saw last time and in lab
  - `input()`, `print()`, `int()` all expect **argument(s)** within the parens
  - We will examine these a bit more today
- Learn how to define our own functions

# Jupyter Notebook

- Last class we did examples in interactive python
- Upsides: low overhead, easy to use
- Downsides:
  - No record of what we did
  - Can't pre-type examples to run in class
  - Harder to view and manage
- From now, we will instead use Jupyter Notebook for lecture examples
  - All examples will be posted on the website
  - Just an enhanced way to use interactive python
  - Installed on all lab machines & part of personal machine setup
  - Anything we do in Jupyter notebook can be done in Interactive Python!

# Review:

## Python Built-in Functions


`input(), print()`

`int(), float(), str()`

# Built-in functions: input()

- `input()` displays its single argument as a prompt on the screen and waits for the user to input text, followed by **Enter/Return**
- It interprets the entered value as a **string** (a sequence of characters)

```
>>> input('Enter your name: ')
Enter your name: Charlie Brown
'Charlie Brown'
>>> age = input('Enter your age: ')
Enter your age: 8
>>> age
'8'
```



Prompts in Maroon. User input in blue.  
Inputted values are by default a **string**

# Built-in functions: print()

- `print()` displays a character-based representation of its argument(s) on the screen/Terminal.

```
>>> name = 'Peppermint Patty'
```

Comma as a separator adds a space

```
>>> print('Your name is', name)
```

```
Your name is Peppermint Patty
```

```
>>> age = input('Enter your age : ')
```

```
Enter your age: 7
```

```
>>> print('The age of ' + name + ' is ' + age)
```

```
The age of Peppermint Patty is 7
```

Can also add spaces through string  
*concatenation*

# Built-in functions: int()

- When given a string that's a sequence of digits, optionally preceded by **+/-**, **int()** returns the corresponding integer
- On any other string it raises a **ValueError**
- When given a float, **int()** returns the integer that results after truncating it towards zero
- When given an integer, **int()** returns that same integer

```
>>> int('42')
```

```
42
```

```
>>> int('-5')
```

```
-5
```

```
>>> int('3.141')
```

```
ValueError
```

# Built-in functions: float()

- When given a string that's a sequence of digits, optionally preceded by **+/-**, and optionally including one decimal point, **float()** returns the corresponding floating point number.
- On any other string it raises a **ValueError**
- When given an integer, **float()** converts it to a floating point number.
- When given a floating point number, float returns that number

```
>>> float('3.141')
```

```
3.141
```

```
>>> float('-273.15')
```

```
-273.15
```

```
>>> float('3.1.4')
```

```
ValueError
```

# Built-in functions: str()

- Converts a given type to a **string** and returns it
- Returns a syntax error when given invalid input

```
>>> str(3.141)
```

```
'3.141'
```

```
>>> str(None)
```

```
'None'
```

```
>>> str(134)
```

```
'134'
```

```
>>> str($)
```

```
SyntaxError: invalid syntax
```

Today:  
User-Defined Functions

# Organizing Code with Functions

- So far we have:
  - Written simple **expressions** in Python
  - Created small scripts to perform certain tasks
- This is fine for small computations!
  - Need more organization and structure for larger problems
- Structured code is good for:
  - Keeping track of which part of our code is doing what actions
  - Keeping track of what information needs to be supplied where
  - **Reusability!** Specifically, reusing blocks of code

# Abstracting with Functions

- **Abstraction:** Reduce code complexity by ignoring (or hiding) some implementations details
  - Allows us to achieve code **decomposition** and reuse
- **Real life example:** a video projector
  - We know how to switch it on and off (**public interface**)
  - We know how to connect it to our computer (**input/output**)
  - We don't know how it works internally (**information hiding**)
- **Key idea:** We don't need to know much about the internals of a projector to be able to use it
  - Same is true with **functions!**



# Decomposition

- Divide individual tasks in our code into separate functions
  - Functions are **self-contained** and **reusable**
  - Each function is a **small piece** of a **larger task**
  - Keep code **organized** and **coherent**
- We have already seen some built-in examples (`int()`, `input()`, `print()`, etc)
- Now we will learn how to **decompose** our Python code and hide small details using **user-defined functions**
- Later we will learn a new abstraction which achieves a greater level of decomposition and code hiding: **classes**

# Anatomy of a Function

- Function **definition** characteristics:
  - A **header** consisting of:
    - **name** of the function
    - **parameters** (optional)
    - **docstring** (optional, but strongly recommended)
  - A **body** (indented and required)
  - Always **returns** something (with or without an explicit **return** statement)
- Statements within the body of a function are not run in a program until they are “called” or “invoked” through a **function call** (like calling `print()` or `int()` in your program)

# Function Example

## Function definition

Function's **name** is square

```
def square(x):  
    '''Takes a number and returns its square'''  
    return x*x
```

## Function Calls/Invocations

```
>>> square(5)
```

```
25
```

```
>>> square(-2)
```

```
4
```

Notice the indentation. This is very important!

# Function Example

`square` has one **parameter**, `x`, which is the expected input to the function.

## Function definition

```
def square(x):  
    '''Takes a number and returns its square'''  
    return x*x
```

---

## Function Calls/Invocations

```
>>> square(5)
```

```
25
```

```
>>> square(-2)
```

```
4
```

# Function Example

This is the **docstring**, which is enclosed in triple quotes. It is a short description of the function.

## Function definition

```
def square(x):  
    '''Takes a number and returns its square'''  
    return x*x
```

---

## Function Calls/Invocations

```
>>> square(5)
```

```
25
```

```
>>> square(-2)
```

```
4
```

# Function Example

## Function definition

```
def square(x):  
    '''Takes a number and returns its square'''  
  
    return x*x
```

All of this is the function's header

## Function Calls/Invocations

```
>>> square(5)
```

```
25
```

```
>>> square(-2)
```

```
4
```

# Function Example

## Function definition

Notice the indentation. This is very important!!

```
def square(x):
```

```
    '''Takes a number and returns its square'''
```

```
    return x*x
```

---

## Function Calls/Invocations

```
>>> square(5)
```

```
25
```

```
>>> square(-2)
```

```
4
```

# Function Example

## Function definition

```
def square(x):
```

```
    '''Takes a number and returns its square'''
```

```
    return x*x
```

This is the body of the function. Notice the use of an explicit **return** statement.

## Function Calls/Invocations

```
>>> square(5)
```

```
25
```

```
>>> square(-2)
```

```
4
```

# Function Example

## Function definition

```
def square(x):  
    '''Takes a number and returns its square'''  
    return x*x
```

## Function Calls/Invocations

```
>>> square(5)
```

```
25
```

```
>>> square(-2)
```

```
4
```

When we call/invoke the function, 5 is the **argument** value. Function is evaluated using  $x=5$ .

# Function Example

## Function definition

```
def square(x):  
    '''Takes a number and returns its square'''  
    return x*x
```

## Function Calls/Invocations

```
>>> square(5)
```

```
25
```

```
>>> square(-2)
```

```
4
```

### Summary:

- Indent in function body (required)
- Colon after function name (required)
- Docstring (recommended, good style)
- **x** in function definition is a parameter
- Single line body which returns the result of the expression **x \* x**
- **return** always ends execution!
- Function is defined once and can be called any number of times!

# A Closer Look At Parameters

- **Parameters** are “holes” in the body of a function that will be filled in with **argument values** in each invocation
- A particular name for a parameter is irrelevant, as long as we use it consistently in the body (just like  $f(x)$  and  $f(y)$  in math)
  - All of the **square** function definitions work exactly the same way!
  - Invocation would also look exactly the same: `square(5)`

```
def square(x):  
    return x*x
```

```
def square(apple):  
    return apple*apple
```

```
def square(num):  
    return num*num
```

**Rule of thumb:** Choose parameter names that make sense. Avoid always using `x`, for example.

# Python Function Call Model


**Function frame:** Model for understanding how a function call works

```
def square(x):  
    return x*x
```


Return value replaces the function call!




square frame



square frame



square frame



# Function Call Replaced by Return Value

17 + square (2+3)



17 + square (5)



17 + 25



42

# Print() vs Functions that Return Values

- Notice that the `print()` function does not *return* any value:
  - No **Out[]** cell when we print in Jupyter
- In contrast to `print()`:
  - `input()` function returns the value inputted by user as a str
  - `int()` function returns the given value as type int
  - `type()` function returns the type of given value, etc
- Functions that do not explicitly return a value, implicitly return **None**

# Value vs. None Returning Functions

We call functions that return a **None** value **None-returning functions**. Such functions are invoked to perform an action (e.g., print something, change state). They do **not compute and return a result**.

We call functions that return a value other than **None** **value returning functions**.

## Value Returning

```
def square(x):  
    return x*x
```

## None-Returning

```
def printHW():  
    print('Hello World')
```

What if I run `print(printHW)` or `print(print((printHW)))`?

# Return Statements

- **return** only has meaning inside of a function definition
- A function definition may have multiple returns, **but only the first one encountered is executed!**
- Any code that exists after a return statement **is unreachable** and will not be executed
- The value returned by the function's return statement replaces the function call in a computation
- Functions without an explicit return statement implicitly return **None**

# Next Time: Making Change

- Suppose you are a cashier and you need to make change for a given number of cents using only quarters, dimes, nickels, and pennies
- Most cashiers use the following greedy strategy to make change using the fewest number of coins:
  - Use as many quarters as possible first, then as many dimes as possible next, and so on, using the fewest number of pennies last
  - Assume you have an unlimited supply of each coin



# Exercise: Making Change

- **Problem.** Let us write a function `makeChange(cents)` that takes as a parameter an integer `cents` and returns the fewest number of coins needed to make change for `cents` cents
- **Approach:** decompose the problem into smaller pieces
  - What is the maximum number of quarters we can use?
    - `q = cents // 25`
  - How much money is left if we use `q` quarters?
    - `cents = cents % 25`
  - For the remaining cents, what is the maximum number of dimes can we use?