

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
1	137.165.8.83	63070	137.165.8.2	80	78	63070 > http [SYN] Seq=2298596924 Len=0 MSS=1460 WS=0 TSV=268935349 TSER=0

Frame 1 (78 bytes on wire, 78 bytes captured)

Ethernet II, Src: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd), Dst: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37)

Internet Protocol, Src: 137.165.8.83 (137.165.8.83), Dst: 137.165.8.2 (137.165.8.2)

Transmission Control Protocol, Src Port: 63070 (63070), Dst Port: http (80), Seq: 2298596924, Len: 0

Flags: 0x0002 (SYN)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
2	137.165.8.2	80	137.165.8.83	63070	74	http > 63070 [SYN, ACK] Seq=2458096306 Ack=2298596925 Win=57344 Len=0 MSS=1460 WS=0 TSV=22471144 TSER=268935349

Frame 2 (74 bytes on wire, 74 bytes captured)

Ethernet II, Src: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37), Dst: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd)

Internet Protocol, Src: 137.165.8.2 (137.165.8.2), Dst: 137.165.8.83 (137.165.8.83)

Transmission Control Protocol, Src Port: http (80), Dst Port: 63070 (63070), Seq: 2458096306, Ack: 2298596925, Len: 0

Flags: 0x0012 (SYN, ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
3	137.165.8.83	63070	137.165.8.2	80	66	63070 > http [ACK] Seq=2298596925 Ack=2458096307 Win=65535 Len=0 TSV=268935349 TSER=22471144

Frame 3 (66 bytes on wire, 66 bytes captured)

Ethernet II, Src: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd), Dst: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37)

Internet Protocol, Src: 137.165.8.83 (137.165.8.83), Dst: 137.165.8.2 (137.165.8.2)

Transmission Control Protocol, Src Port: 63070 (63070), Dst Port: http (80), Seq: 2298596925, Ack: 2458096307, Len: 0

Flags: 0x0010 (ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
4	137.165.8.83	63070	137.165.8.2	80	336	GET /~cs134/f06/lectures.html HTTP/1.1

Frame 4 (336 bytes on wire, 336 bytes captured)

Ethernet II, Src: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd), Dst: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37)

Internet Protocol, Src: 137.165.8.83 (137.165.8.83), Dst: 137.165.8.2 (137.165.8.2)

Transmission Control Protocol, Src Port: 63070 (63070), Dst Port: http (80), Seq: 2298596925, Ack: 2458096307, Len: 270

Flags: 0x0018 (PSH, ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
5	137.165.8.2	80	137.165.8.83	63070	1514	HTTP/1.1 200 OK (text/html)

Frame 5 (1514 bytes on wire, 1514 bytes captured)

Ethernet II, Src: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37), Dst: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd)

Internet Protocol, Src: 137.165.8.2 (137.165.8.2), Dst: 137.165.8.83 (137.165.8.83)

Transmission Control Protocol, Src Port: http (80), Dst Port: 63070 (63070), Seq: 2458096307, Ack: 2298597195, Len: 1448

Flags: 0x0010 (ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
6	137.165.8.2	80	137.165.8.83	63070	1514	Continuation or non-HTTP traffic

Frame 6 (1514 bytes on wire, 1514 bytes captured)

Ethernet II, Src: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37), Dst: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd)

Internet Protocol, Src: 137.165.8.2 (137.165.8.2), Dst: 137.165.8.83 (137.165.8.83)

Transmission Control Protocol, Src Port: http (80), Dst Port: 63070 (63070), Seq: 2458097755, Ack: 2298597195, Len: 1448

Flags: 0x0010 (ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
7	137.165.8.83	63070	137.165.8.2	80	66	63070 > http [ACK] Seq=2298597195 Ack=2458099203 Win=63712 Len=0 TSV=268935349 TSER=22471144

Frame 7 (66 bytes on wire, 66 bytes captured)

Ethernet II, Src: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd), Dst: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37)

Internet Protocol, Src: 137.165.8.83 (137.165.8.83), Dst: 137.165.8.2 (137.165.8.2)

Transmission Control Protocol, Src Port: 63070 (63070), Dst Port: http (80), Seq: 2298597195, Ack: 2458099203, Len: 0

Flags: 0x0010 (ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
8	137.165.8.2	80	137.165.8.83	63070	1514	Continuation or non-HTTP traffic

Frame 8 (1514 bytes on wire, 1514 bytes captured)

Ethernet II, Src: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37), Dst: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd)

Internet Protocol, Src: 137.165.8.2 (137.165.8.2), Dst: 137.165.8.83 (137.165.8.83)

Transmission Control Protocol, Src Port: http (80), Dst Port: 63070 (63070), Seq: 2458099203, Ack: 2298597195, Len: 1448

Flags: 0x0010 (ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
9	137.165.8.2	80	137.165.8.83	63070	1514	Continuation or non-HTTP traffic

Frame 9 (1514 bytes on wire, 1514 bytes captured)
 Ethernet II, Src: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37), Dst: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd)
 Internet Protocol, Src: 137.165.8.2 (137.165.8.2), Dst: 137.165.8.83 (137.165.8.83)
 Transmission Control Protocol, Src Port: http (80), Dst Port: 63070 (63070), Seq: 2458100651, Ack: 2298597195, Len: 1448
 Flags: 0x0010 (ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
10	137.165.8.2	80	137.165.8.83	63070	1514	Continuation or non-HTTP traffic

Frame 10 (1514 bytes on wire, 1514 bytes captured)
 Ethernet II, Src: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37), Dst: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd)
 Internet Protocol, Src: 137.165.8.2 (137.165.8.2), Dst: 137.165.8.83 (137.165.8.83)
 Transmission Control Protocol, Src Port: http (80), Dst Port: 63070 (63070), Seq: 2458102099, Ack: 2298597195, Len: 1448
 Flags: 0x0010 (ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
11	137.165.8.83	63070	137.165.8.2	80	66	63070 > http [ACK] Seq=2298597195 Ack=2458103547 Win=65535 Len=0 TSV=268935349 TSER=22471144

Frame 11 (66 bytes on wire, 66 bytes captured)
 Ethernet II, Src: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd), Dst: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37)
 Internet Protocol, Src: 137.165.8.83 (137.165.8.83), Dst: 137.165.8.2 (137.165.8.2)
 Transmission Control Protocol, Src Port: 63070 (63070), Dst Port: http (80), Seq: 2298597195, Ack: 2458103547, Len: 0
 Flags: 0x0010 (ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
12	137.165.8.2	80	137.165.8.83	63070	1514	Continuation or non-HTTP traffic

Frame 12 (1514 bytes on wire, 1514 bytes captured)
 Ethernet II, Src: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37), Dst: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd)
 Internet Protocol, Src: 137.165.8.2 (137.165.8.2), Dst: 137.165.8.83 (137.165.8.83)
 Transmission Control Protocol, Src Port: http (80), Dst Port: 63070 (63070), Seq: 2458103547, Ack: 2298597195, Len: 1448
 Flags: 0x0010 (ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
13	137.165.8.2	80	137.165.8.83	63070	1048	Continuation or non-HTTP traffic

Frame 13 (1048 bytes on wire, 1048 bytes captured)
 Ethernet II, Src: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37), Dst: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd)
 Internet Protocol, Src: 137.165.8.2 (137.165.8.2), Dst: 137.165.8.83 (137.165.8.83)
 Transmission Control Protocol, Src Port: http (80), Dst Port: 63070 (63070), Seq: 2458104995, Ack: 2298597195, Len: 982
 Flags: 0x0018 (PSH, ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
14	137.165.8.83	63070	137.165.8.2	80	385	GET /csstyle.css HTTP/1.1

Frame 14 (385 bytes on wire, 385 bytes captured)
 Ethernet II, Src: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd), Dst: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37)
 Internet Protocol, Src: 137.165.8.83 (137.165.8.83), Dst: 137.165.8.2 (137.165.8.2)
 Transmission Control Protocol, Src Port: 63070 (63070), Dst Port: http (80), Seq: 2298597195, Ack: 2458105977, Len: 319
 Flags: 0x0018 (PSH, ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
15	137.165.8.2	80	137.165.8.83	63070	1514	HTTP/1.1 200 OK (text/css)

Frame 15 (1514 bytes on wire, 1514 bytes captured)
 Ethernet II, Src: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37), Dst: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd)
 Internet Protocol, Src: 137.165.8.2 (137.165.8.2), Dst: 137.165.8.83 (137.165.8.83)
 Transmission Control Protocol, Src Port: http (80), Dst Port: 63070 (63070), Seq: 2458105977, Ack: 2298597514, Len: 1448
 Flags: 0x0010 (ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
16	137.165.8.2	80	137.165.8.83	63070	1514	Continuation or non-HTTP traffic

Frame 16 (1514 bytes on wire, 1514 bytes captured)
 Ethernet II, Src: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37), Dst: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd)
 Internet Protocol, Src: 137.165.8.2 (137.165.8.2), Dst: 137.165.8.83 (137.165.8.83)
 Transmission Control Protocol, Src Port: http (80), Dst Port: 63070 (63070), Seq: 2458107425, Ack: 2298597514, Len: 1448
 Flags: 0x0010 (ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
17	137.165.8.2	80	137.165.8.83	63070	1514	Continuation or non-HTTP traffic

Frame 17 (1514 bytes on wire, 1514 bytes captured)
 Ethernet II, Src: WwpCbaTe_6c:2f:37 (00:0f:1f:6c:2f:37), Dst: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd)
 Internet Protocol, Src: 137.165.8.2 (137.165.8.2), Dst: 137.165.8.83 (137.165.8.83)
 Transmission Control Protocol, Src Port: http (80), Dst Port: 63070 (63070), Seq: 2458108873, Ack: 2298597514, Len: 1448
 Flags: 0x0010 (ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
18	137.165.8.2	80	137.165.8.83	63070	78	Continuation or non-HTTP traffic

Frame 18 (78 bytes on wire, 78 bytes captured)
 Ethernet II, Src: WwpCbaTe_6c:2f:37 (00:0f:1f:6c:2f:37), Dst: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd)
 Internet Protocol, Src: 137.165.8.2 (137.165.8.2), Dst: 137.165.8.83 (137.165.8.83)
 Transmission Control Protocol, Src Port: http (80), Dst Port: 63070 (63070), Seq: 2458110321, Ack: 2298597514, Len: 12
 Flags: 0x0018 (PSH, ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
19	137.165.8.83	63070	137.165.8.2	80	66	63070 > http [ACK] Seq=2298597514 Ack=2458110333 Win=65535 Len=0 TSV=268935349 TSER=22471145

Frame 19 (66 bytes on wire, 66 bytes captured)
 Ethernet II, Src: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd), Dst: WwpCbaTe_6c:2f:37 (00:0f:1f:6c:2f:37)
 Internet Protocol, Src: 137.165.8.83 (137.165.8.83), Dst: 137.165.8.2 (137.165.8.2)
 Transmission Control Protocol, Src Port: 63070 (63070), Dst Port: http (80), Seq: 2298597514, Ack: 2458110333, Len: 0
 Flags: 0x0010 (ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
20	137.165.8.83	63071	137.165.8.2	80	78	63071 > http [SYN] Seq=932711780 Len=0 MSS=1460 WS=0 TSV=268935349 TSER=0

Frame 20 (78 bytes on wire, 78 bytes captured)
 Ethernet II, Src: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd), Dst: WwpCbaTe_6c:2f:37 (00:0f:1f:6c:2f:37)
 Internet Protocol, Src: 137.165.8.83 (137.165.8.83), Dst: 137.165.8.2 (137.165.8.2)
 Transmission Control Protocol, Src Port: 63071 (63071), Dst Port: http (80), Seq: 932711780, Len: 0
 Flags: 0x0002 (SYN)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
21	137.165.8.2	80	137.165.8.83	63071	74	http > 63071 [SYN, ACK] Seq=995105002 Ack=932711781 Win=57344 Len=0 MSS=1460 WS=0 TSV=22471145 TSER=268935349

Frame 21 (74 bytes on wire, 74 bytes captured)
 Ethernet II, Src: WwpCbaTe_6c:2f:37 (00:0f:1f:6c:2f:37), Dst: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd)
 Internet Protocol, Src: 137.165.8.2 (137.165.8.2), Dst: 137.165.8.83 (137.165.8.83)
 Transmission Control Protocol, Src Port: http (80), Dst Port: 63071 (63071), Seq: 995105002, Ack: 932711781, Len: 0
 Flags: 0x0012 (SYN, ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
22	137.165.8.83	63071	137.165.8.2	80	66	63071 > http [ACK] Seq=932711781 Ack=995105003 Win=65535 Len=0 TSV=268935349 TSER=22471145

Frame 22 (66 bytes on wire, 66 bytes captured)
 Ethernet II, Src: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd), Dst: WwpCbaTe_6c:2f:37 (00:0f:1f:6c:2f:37)
 Internet Protocol, Src: 137.165.8.83 (137.165.8.83), Dst: 137.165.8.2 (137.165.8.2)
 Transmission Control Protocol, Src Port: 63071 (63071), Dst Port: http (80), Seq: 932711781, Ack: 995105003, Len: 0
 Flags: 0x0010 (ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
23	137.165.8.83	63071	137.165.8.2	80	390	GET /images/adbar.gif HTTP/1.1

Frame 23 (390 bytes on wire, 390 bytes captured)
 Ethernet II, Src: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd), Dst: WwpCbaTe_6c:2f:37 (00:0f:1f:6c:2f:37)
 Internet Protocol, Src: 137.165.8.83 (137.165.8.83), Dst: 137.165.8.2 (137.165.8.2)
 Transmission Control Protocol, Src Port: 63071 (63071), Dst Port: http (80), Seq: 932711781, Ack: 995105003, Len: 324
 Flags: 0x0018 (PSH, ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
24	137.165.8.2	80	137.165.8.83	63071	1514	HTTP/1.1 200 OK (GIF89a)[Unresembled Packet]

Frame 24 (1514 bytes on wire, 1514 bytes captured)
 Ethernet II, Src: WwpCbaTe_6c:2f:37 (00:0f:1f:6c:2f:37), Dst: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd)
 Internet Protocol, Src: 137.165.8.2 (137.165.8.2), Dst: 137.165.8.83 (137.165.8.83)
 Transmission Control Protocol, Src Port: http (80), Dst Port: 63071 (63071), Seq: 995105003, Ack: 932712105, Len: 1448
 Flags: 0x0010 (ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
25	137.165.8.2	80	137.165.8.83	63071	1377	Continuation or non-HTTP traffic

Frame 25 (1377 bytes on wire, 1377 bytes captured)
Ethernet II, Src: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37), Dst: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd)
Internet Protocol, Src: 137.165.8.2 (137.165.8.2), Dst: 137.165.8.83 (137.165.8.83)
Transmission Control Protocol, Src Port: http (80), Dst Port: 63071 (63071), Seq: 995106451, Ack: 932712105, Len: 1311
Flags: 0x0018 (PSH, ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
26	137.165.8.83	63071	137.165.8.2	80	66	63071 > http [ACK] Seq=932712105 Ack=995107762 Win=65297 Len=0 TSV=268935349 TSER=22471145

Frame 26 (66 bytes on wire, 66 bytes captured)
Ethernet II, Src: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd), Dst: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37)
Internet Protocol, Src: 137.165.8.83 (137.165.8.83), Dst: 137.165.8.2 (137.165.8.2)
Transmission Control Protocol, Src Port: 63071 (63071), Dst Port: http (80), Seq: 932712105, Ack: 995107762, Len: 0
Flags: 0x0010 (ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
27	137.165.8.2	80	137.165.8.83	63070	66	http > 63070 [FIN, ACK] Seq=2458110333 Ack=2298597514 Win=57920 Len=0 TSV=22472680 TSER=268935349

Frame 27 (66 bytes on wire, 66 bytes captured)
Ethernet II, Src: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37), Dst: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd)
Internet Protocol, Src: 137.165.8.2 (137.165.8.2), Dst: 137.165.8.83 (137.165.8.83)
Transmission Control Protocol, Src Port: http (80), Dst Port: 63070 (63070), Seq: 2458110333, Ack: 2298597514, Len: 0
Flags: 0x0011 (FIN, ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
28	137.165.8.2	80	137.165.8.83	63071	66	http > 63071 [FIN, ACK] Seq=995107762 Ack=932712105 Win=57920 Len=0 TSV=22472680 TSER=268935349

Frame 28 (66 bytes on wire, 66 bytes captured)
Ethernet II, Src: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37), Dst: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd)
Internet Protocol, Src: 137.165.8.2 (137.165.8.2), Dst: 137.165.8.83 (137.165.8.83)
Transmission Control Protocol, Src Port: http (80), Dst Port: 63071 (63071), Seq: 995107762, Ack: 932712105, Len: 0
Flags: 0x0011 (FIN, ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
29	137.165.8.83	63070	137.165.8.2	80	66	63070 > http [ACK] Seq=2298597514 Ack=2458110334 Win=65535 Len=0 TSV=268935380 TSER=22472680

Frame 29 (66 bytes on wire, 66 bytes captured)
Ethernet II, Src: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd), Dst: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37)
Internet Protocol, Src: 137.165.8.83 (137.165.8.83), Dst: 137.165.8.2 (137.165.8.2)
Transmission Control Protocol, Src Port: 63070 (63070), Dst Port: http (80), Seq: 2298597514, Ack: 2458110334, Len: 0
Flags: 0x0010 (ACK)

No.	Source	Source Port	Destination	Dest Port	Total length	Contents
30	137.165.8.83	63071	137.165.8.2	80	66	63071 > http [ACK] Seq=932712105 Ack=995107763 Win=65535 Len=0 TSV=268935380 TSER=22472680

Frame 30 (66 bytes on wire, 66 bytes captured)
Ethernet II, Src: AppleCom_a5:4c:fd (00:16:cb:a5:4c:fd), Dst: WwPcbaTe_6c:2f:37 (00:0f:1f:6c:2f:37)
Internet Protocol, Src: 137.165.8.83 (137.165.8.83), Dst: 137.165.8.2 (137.165.8.2)
Transmission Control Protocol, Src Port: 63071 (63071), Dst Port: http (80), Seq: 932712105, Ack: 995107763, Len: 0
Flags: 0x0010 (ACK)